

Ref #	Hits	Search Query	D8s	Default Operator	Plurals	Time Stamp
L1	380	("451".clas.) and ((flush level plane) near2 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 12:30
L2	380	("451".clas.) and ((flush level plane) near2 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 12:30
L3	380	("451".clas.) and ((flush level plane) near2 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 12:30
L4	508	("451".clas.) and ((flush level plane) near3 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 12:31
L5	508	("451".clas.) and ((flush level plane) near3 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 12:31
L6	108	(451/5-6.ccls.) and ((flush level plane) near3 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 12:31
S2	449	"5,433,651" "5,605,760" "5,609,511" "5,838,447" "5,893,796" "5,943,302" "5,949,927" "6,045,439" "6,068,539" "6,106,662" "6,146,242" "6,203,417B1" "6,280,297B1" "6,454,630B1" "6,485,354B1" "6,488,568B1"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 10:37
S3	16	("5,433,651" "5,605,760" "5,609,511" "5,838,447" "5,893,796" "5,943,302" "5,949,927" "6,045,439" "6,068,539" "6,106,662" "6,146,242" "6,203,417B1" "6,280,297B1" "6,454,630B1" "6,485,354B1" "6,488,568B1").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 11:00
S4	16	("5,949,927" "6,045,439" "6,068,539" "6,203,417" "6,280,297" "6,454,630" "6,485,354" "6,488,568").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 11:23

S5	2144	451/5-6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 11:44
S6	19	S5 and (window same (optical adj sensor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 11:24
S7	741	451/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 09:51
S8	25	schultz-stephen-C.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 12:30
S9	7	("5433651" "6146242" "6254459" "6261155" "6323046" "6454630" "6488568").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/26 10:24
S10	2	("6599765").URPN.	USPAT	OR	OFF	2004/11/26 10:24
S11	0	EP adj ("0738561" or "0824995").pn.	USPAT	OR	OFF	2004/11/26 10:25
S12	2	EP adj ("0738561" or "0824995")	USPAT	OR	OFF	2004/11/26 10:25
S13	0	("0738561" or "0824995")	EPO	OR	OFF	2004/11/26 10:29
S14	0	("0738561" or "0824995").pn.	EPO	OR	OFF	2004/11/26 10:25
S15	0	"0738561".pn.	EPO	OR	OFF	2004/11/26 10:26
S16	0	"0,738,561".pn.	EPO	OR	OFF	2004/11/29 16:35
S17	0	"0,738,561".pn.	EPO; DERWENT	OR	OFF	2004/11/26 10:26
S18	3	"0,738,561"	EPO; DERWENT	OR	OFF	2004/11/26 10:27
S19	0	"0,738,561".pn.	EPO; DERWENT	OR	OFF	2004/11/26 10:27
S20	3	"0738561"	EPO; DERWENT	OR	OFF	2004/11/26 10:28
S21	0	"0738561"	EPO	OR	OFF	2004/11/26 10:28
S22	0	"0824995"	EPO	OR	OFF	2004/11/26 10:28
S23	13	"0824995"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/26 10:28
S24	0	("0,738,561" or "0,824,995")	EPO	OR	OFF	2004/11/26 10:29
S25	0	("0,738,561" or "0,824,995").pn.	EPO	OR	OFF	2004/11/26 10:30
S26	87	EP and (laser adj interferometer)	EPO	OR	OFF	2004/11/26 10:32

S27	1	"EP 824995".	EPO	OR	OFF	2004/11/26 10:32
S28	2	"EP 824995" or "EP 738561"	EPO	OR	OFF	2004/11/26 11:00
S29	0	10/016883.app.	EPO	OR	OFF	2004/11/26 11:00
S30	0	10/016883.ap.	EPO	OR	OFF	2004/11/26 11:01
S31	0	10/016883.ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/26 11:01
S32	1	10/016883.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/26 13:24
S33	7	("5433651" "6146242" "6254459" "6261155" "6323046" "6454630" "6488568").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/26 11:01
S34	18	("5433651" "5605760" "5609511" "5893796" "5964643" "6045439" "6068539" "6074287" "6106662" "6108091" "6146242" "6146248" "6213845" "6254459" "6261155" "6273792" "6280290" "6309276").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/26 12:04
S35	1	10/642313.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/26 13:24
S36	743	451/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:29
S37	1	S36 and (((non adj mettalic) or non-mettalic) with (platen and manifold))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:51
S38	5	S36 and ((non adj mettalic) or non-mettalic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 09:56
S39	5	S36 and (platen same manifold)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 09:59

S40	67	S36 and (platen with material)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:19
S41	0	S36 and (platen with (slurry near3 (resistant or resistance)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:30
S42	7	S36 and (slurry near3 (resistant or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:30
S43	8	S36 and (slurry near6 (resistant or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:26
S44	1	S43 not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:26
S45	64719	"451".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:29
S46	1	S45 and (((non adj mettalic) or non-mettalic) with (platen and manifold))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 11:01
S47	55	S45 and (slurry near3 (resistant or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:40
S48	2	S45 and (platen with (slurry near3 (resistant or resistance)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:56
S49	12	S45 and (((non adj mettalic) or non-mettalic) with (slurry))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:40
S50	1	S45 and (((non adj mettalic) or non-mettalic) same (slurry near5 (resistant or resistance)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:39
S51	1	S36 and ((ceramic or plastic or poly\$4) with (platen and manifold))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:53

S52	1	S36 and ((ceramic or plastic or poly\$5) with (platen and manifold))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 10:54
S53	6	S36 and ((ceramic or plastic or poly\$5) with platen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 11:05
S54	2	S45 and (((non adj mettalic) or non-metallic) with (platen))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 11:01
S55	3	S45 and (((non adj mettalic) or non-metallic) with (platen))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 11:02
S56	164	S45 and ((ceramic or plastic or poly\$5) with platen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 11:07
S57	3	S45 and (((non adj mettalic) or non-metallic) with platen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 12:37
S58	79	S45 and (slurry with react\$4 with \$4metal\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 12:39
S59	47	("5081051" "5216843" "5456627").PN. OR ("5527424").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 13:03
S60	0	"5893796".pn.	EPO	OR	OFF	2004/11/29 16:36
S61	0	"5893796"	EPO	OR	OFF	2004/11/29 16:36
S62	0	"5,893,796"	EPO	OR	OFF	2004/11/29 16:36
S63	0	"5893796".pn.	EPO	OR	OFF	2004/11/29 16:36
S64	459	"5,433,651" "5,605,760" "5,609,511" "5,838,447" "5,893,796" "5,943,302" "5,949,927" "6,045,439" "6,068,539" "6,106,662" "6,146,242" "6,203,417B1 6,280,297B1 6,454,630B1 6,485,354B1 "6,488,568B1"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/29 16:37
S65	61	("451".clas.) and (CMP or "chemical mechanical polishing") and ("non-metallic" or (non adj mettalic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 08:04

S66	1	10/642313.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 08:02
S67	63	("451".clas.) and ((plastic or ceramic or plastics or ceramics) near3 (platen or manifold or supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 08:46
S68	0	pines.att.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 08:27
S69	0	pints.att.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 08:27
S70	474	("451".clas.) and ((flush level plane) near3 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 08:49
S71	352	("451".clas.) and ((flush level plane) near2 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 13:51
S72	100	(451/5-6.ccls.) and ((flush level plane) near3 (polishing adj (pad or surface or face)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 10:01
S73	4	(451/5-6.ccls.) and ((sensor detector probe) with ((flush level plane) near3 (platen)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 10:04
S74	27	(451/5-6.ccls.) and ((flush level plane) near3 (platen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 10:04
S75	23	S74 not S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 12:54

S77	2	"5584750".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 13:04
S78	17	("3305976" "3866361" "4490948" "4674236" "5136820" "5216843" "5269102" "5516400").PN. OR ("5584750").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 13:05
S79	20	("451".clas.) and (ceramic near2 platen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 13:58
S80	2	("451".clas.) and (plastic near2 platen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 15:25
S81	5	("451".clas.) and ((resistance resist) near2 platen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 14:58
S82	0	("2004/0242121").URPN.	USPAT	OR	OFF	2005/05/17 15:11
S83	139	("451".clas.) and (material near2 platen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/17 15:25
S84	9	("5433651" "6146242" "6254459" "6261155" "6323046" "6454630" "6488568").PN. OR ("6599765"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/17 15:28
S85	1	PCT/JP00/05762.pct.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:50
S86	65492	"451".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:56
S87	1792	S86 and ((material or materials or plastics or ceramics) with (resistant or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:57

S88	882	S86 and ((material or materials or plastics or ceramics) near2 (resistant or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:57
S89	199	S86 and ((material or materials or plastics or ceramics) near2 (resistant or resistance)) and (CMP or "chemical mechanical polishing")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:58
S90	65	S86 and (((material or materials or plastics or ceramics) near2 (resistant or resistance)) same slurry)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 14:02
S91	37	S86 and (((material or materials or plastics or ceramics) near2 (resistant or resistance)) with slurry)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 11:58
S92	65492	"451".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 14:02
S93	11	S92 and (((material or materials or plastics or ceramics) near2 (resistant or resistance)) same slurry same platen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/19 14:03